Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	14	(data adj structure) same (time adj series) and (process with control) and industr$5 and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/14 14:44
S1	0	(collect$3 same process$3 same stor$3) same attribute same event same (parameter or variable) same "time series data"	USPAT	OR	OFF	2005/01/14 12:26
S2	0	(collect$3 near2 "time series data") same process same parameter same attribute	USPAT	OR	OFF	2005/01/14 12:27
S3	0	(collect$3 near2 "time series data") same process same parameter same attribute	US-PGPUB; USPAT	OR	OFF	2005/01/14 12:28
S4	0	(collect$3 near2 "time series data") same process same parameter same attribute	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 12:28
S5	3	(collect$3 same "time series data") same process same parameter same attribute	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 12:28
S6	3	(collect$3 same "time series data") and (process same parameter same attribute)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 14:17
S7	4	(collect$3 same "time series data") and (process same parameter)and attribute	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 12:29
S8	7	(collect$3 same "time series data") and process and (parameter same attribute)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 14:19

S9	169	(collect$3 same "time series data") and process	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 14:19
S10	42	(collect$3 same "time series data") same process	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 14:56
S11	36	(collect$3 same (time near2 data)) same process same (data adj structure)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 14:58
S12	7	(collect$3 same (time near2 data)) and (process adj parameter) and (data adj structure) and attribute and device	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 14:58
S13	124	(data adj structure) same (time adj series)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/14 14:43
S14	64	(data adj structure) same (time adj series) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 14:47
S15	24	(data adj structure) same (time adj series) and @ad < "20011221" and fram$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 15:21
S16	23	(data adj structure) same (time adj series) and @ad < "20011221" and fram$4 and processes	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 14:50
S17	2	(data adj structure) same (time adj series) and @ad < "20011221" and fram$4 and processes and (access same request)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 14:53

S18	32	(access adj request) same (data adj structure) same generat$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 15:02
S19	22	(access adj request) same (data adj structure) same generat$4 and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 14:58
S20	2	((access adj request) near3 (data adj structure)) same generat$4 and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 14:58
S21	3	(access adj request) same (generat$4 near2 (data adj structure))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 15:04
S22	0	(data adj structure) same (time adj series) same (access adj request) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 15:08
S23	9	(time adj series) same (access adj request) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 15:08
S24	2	(data adj structure) same (processing same (time adj series) same data) and @ad < "20011221" and fram$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 15:55
S25	0	(data adj structure) with compris$4 with ((time adj series) same data) and @ad < "20011221" and fram$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 15:56
S26	28	((data adj structure) with (time adj series)) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 16:07
S27	8	("6754435" or "6463465").pn. or "20010011278" or "20020194130"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 16:09

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	("20030120627").PN.	US-PGPUB; USPAT; USOCR; JPO	OR	OFF	2004/04/05 17:06
S2	15847	processing same process same collect$3 sameactivit$3 same (timenear2interval) same (parameters or variables or characteristics)	US-PGPUB; USPAT; JPO	OR	OFF	2004/04/14 17:22
S3	15847	processing same process same collect$3 sameactivit$3 same (time near2 interval) same (parameters or variables or characteristics)	US-PGPUB; USPAT; JPO	OR	OFF	2004/04/11 17:22
S4	0	processing same process same collect$3 same activit$3 same (time near2 interval) same (parameters or variables or characteristics)	US-PGPUB; USPAT; JPO	OR	OFF	2004/04/11 17:22
S5	7	process$3 same collect$3 same activit$3 same (time near2 interval) same (parameters or variables or characteristics)	US-PGPUB; USPAT; JPO	OR	OFF	2004/04/11 17:24
S6	231	industr$3 same process$3 same monitor$3 same data same collect$	US-PGPUB; USPAT; JPO	OR	OFF	2004/04/14 17:16
S7	27	industr$3 same process$3 same monitor$3 same data same collect$ same activit$3	US-PGPUB; USPAT; JPO	OR	OFF	2004/04/11 17:29
S8	72	industr$3 same process$3 same monitor$3 same data same collect$ same time	US-PGPUB; USPAT; JPO	OR	OFF	2004/04/11 17:29
S9	0	(collect$3 near2 data) same (time near3 activity) same (data near2 structure) same process$3 same stor$3 same event same (time near2 parameter) same database	US-PGPUB; USPAT; JPO	OR	OFF	2004/04/13 09:37
S10	0	(collect$3 same data) same (time same activity) same process$3 same stor$3 same event same parameter same database	US-PGPUB; USPAT; JPO	OR	OFF	2004/04/13 09:38
S11	143	collect$3 same process$3 same stor$3 same data same event same (parameter or variable)	US-PGPUB; USPAT; JPO	OR	OFF	2004/04/14 17:23
S12	2	collect$3 same process$3 same stor$3 same data same event same (parameter or variable) same tim$3 same database	US-PGPUB; USPAT; JPO	OR	OFF	2004/04/13 09:41

S13	75	collect$3 same process$3 same stor$3 same data same event same (parameter or variable) same time	US-PGPUB; USPAT; JPO	OR	OFF	2005/01/14 12:21
S14	4	"20030014498" or ("6633823" or "6590507" or "6625567").pn.	US-PGPUB; USPAT; JPO	OR	OFF	2004/04/13 11:16
S15	5	"20030014498" or ("6633823" or "6590507" or "6625567" or "5974457").pn.	US-PGPUB; USPAT; JPO	OR	OFF	2004/04/13 17:35
S16	143	collect$3 same process$3 same stor$3 same data same event same (parameter or variable)	US-PGPUB; USPAT; JPO	OR	OFF	2004/04/13 17:29
S17	1	707/100.ccls. and (collect$3 same process$3 same stor$3 same data same event same (parameter or variable))	US-PGPUB; USPAT; JPO	OR	OFF	2004/04/13 17:30
S18	1	707/200.ccls. and (collect$3 same process$3 same stor$3 same data same event same (parameter or variable))	US-PGPUB; USPAT; JPO	OR	OFF	2004/04/13 17:31
S19	0	707/10.ccls. and (collect$3 same process$3 same stor$3 same data same event same (parameter or variable))	US-PGPUB; USPAT; JPO	OR	OFF	2004/04/13 17:31
S20	0	705/2.ccls. and (collect$3 same process$3 same stor$3 same data same event same (parameter or variable))	US-PGPUB; USPAT; JPO	OR	OFF	2004/04/13 17:32
S21	0	702/57.ccls. and (collect$3 same process$3 same stor$3 same data same event same (parameter or variable))	US-PGPUB; USPAT; JPO	OR	OFF	2004/04/13 17:32
S22	0	702/179.ccls. and (collect$3 same process$3 same stor$3 same data same event same (parameter or variable))	US-PGPUB; USPAT; JPO	OR	OFF	2004/04/13 17:32
S23	1	709/217.ccls. and (collect$3 same process$3 same stor$3 same data same event same (parameter or variable))	US-PGPUB; USPAT; JPO	OR	OFF	2004/04/13 17:33
S24	7	707/1-10.ccls. and (collect$3 same process$3 same stor$3 same data same event same (parameter or variable))	US-PGPUB; USPAT; JPO	OR	OFF	2004/04/13 17:33
S25	5	707/1.ccls. and (collect$3 same process$3 same stor$3 same data same event same (parameter or variable))	US-PGPUB; USPAT; JPO	OR	OFF	2004/04/13 17:33

S26	6	"20030014498" or "20020165733" or ("6633823" or "6590507" or "6625567" or "5974457").pn.	US-PGPUB; USPAT; JPO	OR	OFF	2004/04/13 17:36
S27	0	(industr$3 same process$3 same monitor$3 same data same collect$) same 702/1-100.ccls.	US-PGPUB; USPAT; JPO	OR	OFF	2004/04/14 17:18
S28	1	processing same collect$3 same activit$3 same (time near2 interval) same (parameters or variables or characteristics)	US-PGPUB; USPAT; JPO	OR	OFF	2004/04/14 17:22
S29	143	collect$3 same process$3 same stor$3 same data same event same(parameter or variable)	US-PGPUB; USPAT; JPO	OR	OFF	2004/04/14 17:23
S30	21	(industr$3 same process$3 same monitor$3 same data same collect$) and 702/1-100.ccls.	US-PGPUB; USPAT; JPO	OR	OFF	2004/04/14 17:24
S31	7	(collect$3 same process$3 same stor$3 same data same event same(parameter or variable)) and 702/1-100.ccls.	US-PGPUB; USPAT; JPO	OR	OFF	2004/04/14 17:26
S32	231	industr$3 same process$3 same monitor$3 same data same collect$	US-PGPUB; USPAT; JPO	OR	OFF	2004/04/14 17:38
S33	3	collect$3 same process$3 same stor$3 same data same event same (parameter or variable) same "time series data"	US-PGPUB; USPAT; JPO	OR	OFF	2005/01/14 12:23
S34	3	collect$3 same process$3 same stor$3 same attribute same event same (parameter or variable) same "time series data"	US-PGPUB; USPAT; JPO	OR	OFF	2005/01/14 12:24
S35	2	("5818713" or "5974457").pn.	US-PGPUB; USPAT; JPO	OR	OFF	2005/01/15 13:18
S36	1	"6134705".pn.	US-PGPUB; USPAT; JPO	OR	OFF	2005/01/15 13:21
S37	1	"6236996".pn.	US-PGPUB; USPAT; JPO	OR	OFF	2005/01/15 13:21